

Lyme Disease

- Reported cases of disease, 1999-2003
- 5-year rate of disease, 1999-2003
- Reported cases by age group, 2003
- Reported cases by gender, 2003
- Reported cases by county, 2003
- Reported cases by month, 2003

Reported Cases of Lyme Disease Rhode Island, 1999-2003



Salmonellosis Rates, Rhode Island, 1999-2003



Rates are based on 2000 Census

Reported Cases of Lyme Disease by age group, Rhode Island, 2003						
Age Group	Number of reported	Percent	Rate ¹ of disease per			
	cases	(%)	100,000			
< 1	3	0.4	24.6			
1-4	33	4.5	63.8			
5-9	90	12.2	125.2			
10-19	88	12.0	59.9			
20-29	38	5.2	27.8			
30-39	78	10.6	48.5			
40-49	126	17.1	78.6			
50-59	137	18.6	117.7			
60-74	93	12.6	82.5			
75+	42	5.7	53.4			
Unknown	8	1.1				
TOTAL	736	736	70.2			

¹Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.


Reported cases of Lyme Disease by gender, Rhode Island, 2003					
Gender	Number of reported	Percent	Rate ¹ of		
	cases	(%)	disease per		
			100,000		
Males	425	57.7	84.4		
Females	309	42.0	56.7		
Unknown	2	0.30			
TOTAL	736	100	70.2		

¹Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.

Reported cases of Lyme Disease by County, Rhode Island, 2003						
County	Number of reported cases	Percent	Rate ¹ of			
		(%)	disease per			
			100,000			
Bristol	13	1.8	25.7			
Kent	139	18.9	83.2			
Newport	36	4.9	42.1			
Providence	184	24.9	29.6			
Washington	331	45.0	267.9			
Unknown	33	4.5				
TOTAL	736	100	70.2			

¹ Denominators for computing rates for RI were based on 2000 population counts obtained from the U.S. Census Bureau.

Reported cases of Lyme Disease by month, Rhode Island, 2003



Questions regarding these data can be directed to the Office of Communicable Diseases at (401) 222-2577